



 PRODUCT-DETAILS

PM5072-T-2ETH

Processor module. Memory 8MB. 12 DI 24 VDC. 8 DO 24 VDC 0.5A. 2 DC 24 VDC. 2 Ethernet interfaces. 3 option slots (PM5072-T-2ETH)



General Information

Extended Product Type	PM5072-T-2ETH
Product ID	1SAP124500R0073
ABB Type Designation	PM5072-T-2ETH
EAN	4013614551734
Catalog Description	Processor module. Memory 8MB. 12 DI 24 VDC. 8 DO 24 VDC 0.5A. 2 DC 24 VDC. 2 Ethernet interfaces. 3 option slots (PM5072-T-2ETH)
Long Description	PM5072-T-2ETH: AC500-eCo Processor module. Memory 8MB. 12 DI 24 VDC. 8 DO 24 VDC 0.5A. 2 DC 24 VDC. 2 Ethernet interfaces. 3 option slots.

Ordering

CN8	85371091
Invoice Description	Processor module. Memory 8MB. 12 DI 24 VDC. 8 DO 24 VDC 0.5A. 2 DC 24 VDC. 2 Ethernet interfaces. 3 option slots (PM5072-T-2ETH)
Made To Order	No
Minimum Order Quantity	1 piece
Order Multiple	1 piece
Selling Unit of Measure	piece

Dimensions

Product Net Weight	0.265 kg
Product Net Depth / Length	74 mm
Product Net Height	135 mm
Product Net Width	82 mm
Gross Weight	0.307 kg
Package Level 1 Depth / Length	100 mm
Package Level 1 Height	95 mm
Package Level 1 Width	175 mm
Package Level 1 Units	1 carton

Technical

Function	Memory 8MB. 12 DI 24 VDC. 8 DO 24 VDC 0.5A. 2 DC 24 VDC. 2 Ethernet interfaces. 3 option slots
Number of Hardware Interfaces	Industrial Ethernet 2 Other 0 Parallel 0 RS-232 0 RS-422 0 RS-485 0 Serial TTY 0 USB 0 Wireless 0
Memory Size	9100 kB
Memory Type User Data	RAM
Controller Processing Time	0.00002 ms
Number of Digital Inputs	12
Number of Digital Outputs	8
Number of Digital Configurable I/Os	2
Input Voltage Type	DC
Degree of Protection	IP20
Rated Voltage (U _r)	24 V DC
Supply Voltage	20.4 ... 28.8 V DC

Additional Information

Product Main Type	PM5072
Product Name	Distributed Automation PLCs

External Classifications and Standards

eClass	27-24-22-07
ETIM 8	EC000236 - PLC CPU-module
ETIM 9	EC000236 - PLC CPU-module
ETIM 10	EC000236 - PLC CPU-module
UNSPSC	32151705

Environmental

SCIP	0c6f902e-769c-40b6-a7ae-b47a067a7eb1 Germany (DE)
WEEE B2C / B2B	Business To Business
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Where Used (as part of "kit")

Identifier	Description	Type
1SAP187600R0003	Starter kit. AC500-eCo V3: PM5072-T-2ETH, Simulator, CP604 (TA5426-STAKIT)	Kit

Categories

PLC Automation → Programmable Logic Controllers PLCs → AC500-eCo → CPUs

