



 PRODUCT-DETAILS

3BDH000364R0002

PM 783F CPU Module

General Information

Product ID	3BDH000364R0002
ABB Type Designation	PM 783F Rev. B
Catalog Description	PM 783F CPU Module

Long Description	<p>The Central Processing Unit (CPU) module is equipped with a high-performance processor for fast loop cycle times. It comes with on-board 100 Mbit/s Ethernet network connection used for communication between controllers, operator stations and engineering tool. Two serial line interfaces complete the connectivity. One interface can be used for Modbus communication, while the other is used for diagnostics. The CPU has 10 MB of memory of which 2 MB are battery backed up. For demanding applications, eight cyclic and priority driven tasks with adjustable cycle time can be configured, as well as a cyclic PLC type task which runs as fast as possible. The small front panel display shows status and diagnostic information directly at the module. Furthermore you can lock the controller via the keys. This means the controller can be blocked for downloads of application and firmware to enhance security. The status, if the controller is locked or unlocked, is shown on the display. S700 I/O modules can be directly plugged to the CPU module or can be used as remote I/O via PROFIBUS. A maximum of eight modules can be connected to one controller. 3rd party I/O's can be connected via a MODBUS ASCII / RTU, IEC 60870-5-101. Telecontrol protocol or via PROFIBUS. The CPU and the local S700 I/O modules communicate very fast. I/O scan times of 2 ms are possible. Short circuit and line break detection is realized for each channel.</p>
------------------	--

Additional Information

Medium Description	<p>The PM 783F is the smallest CPU in the Freelance controller family. Depending on the application, it is sufficient for around 300 I/O signals. Needs external 24 VDC power supply. Software version 9.2SP2 or higher is mandatory. For operation with previous versions, please refer to product update information 2PAA102068R0018. Use with Terminal Base TB 711F and Battery TA521.</p>
Product Type	Central_Unit

Ordering

HS Code	853710-- Boards, panels, consoles, desks, cabinets and other bases, equipped with two or more apparatus of heading 85.35 or 85.36, for electric control or the distribution of electricity, including those incorporating instruments or apparatus of Chapter 90, and numerical
---------	---

control apparatus, other than switching apparatus of heading 85.17.- For a voltage not exceeding 1,000 V

Customs Tariff Number	85371091
-----------------------	----------

Dimensions

Product Net Depth / Length	54 mm
Product Net Height	76 mm
Product Net Width	67.5 mm
Product Net Weight	0.15 kg

Environmental

RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
Number of Batteries	0

Categories

Control System Products → Control & Communication → AC 700F → AC 700F - Processor Modules → PM 783F Rev.B CPU Module